


SECUNORM 175
SMALL FORM, BIG PERFORMER.



ENJOY SAFETY
MADE IN SOLINGEN

martor

SECUNORM 175

NO. 175001



Original size



4-times usable blade

Why do you benefit more from your blade? With its four sharp edges, it can be rotated four times. That's why. The result? Blade life is quadrupled and you stay sharp for longer.




Ergonomic handle

MARTOR wants to make your work easier for you, which is why we always have ergonomics in mind. With its small size and rounded off end, there's nothing uncomfortable about this cutter. A grooved slider offers grip for even better handling.



Easy blade change

Once again we've improved blade change. Simply press against the blade change button and pull to open the handle. The slider automatically folds up, revealing the blade. Rotate or change and continue cutting.



Double-sided slider

The SECUNORM 175 is user friendly in the best sense of the word. And with its double sided slider, it is suitable for both, right and left handed users. No modification required.






Practical eyelet

A cutting tool as handy as the SECUNORM 175 fits in your pocket. Mostly! To make your cutter even more available, you can pull a strap through the eyelet. And hang it around your wrist, for example.

Surprisingly comfortable, incredibly capable.

The SECUNORM 175 enriches our range of popular small box cutters. Its unique features include the cleverly-designed and incredibly easy blade change system. Other highlights include its ergonomic handle, double-sided slider and a fresh design. The SECUNORM 175 is a versatile cutting tool that apart from cardboard boxes, also masters bags, films and strappings.

Application









PRODUCT FEATURES

Technical features

	High safety		Tool-less blade change
	Abrasion resistant		Very ergonomic
	4-times usable blade		Extended blade length
	Cutting depth		For right and left hander
	Lanyard hole		Printable for promotional purposes

Main cutting materials

	Cardboard: up to 2-ply		Wrapping, stretch, and shrink foil
	Tape		Plastic strapping band
	Bagged goods		Layers of foil or paper


Installed blade

	NO. 45	0.30 mm
--	---------------	---------

Optional blade

	NO. 145	0.30 mm, stainless steel
--	----------------	--------------------------

Safety technology



Automatic blade retraction – a high degree of safety

The automatic blade retraction of the SECUNORM 175 ensures a high degree of safety from cut injuries. As soon as you have started cutting, take your thumbs off the slider. And the blade will immediately retract into the handle after leaving the material being cut.

Certificates and awards







YOU CAN FEEL THE QUALITY.

SECUNORM 175

- › Ergonomic and effective
- › Automatic blade retraction
- › Ergonomic handle
- › One blade, four cutting corners
- › TÜV-certified

PRODUCT DETAILS

Order No.	NO. 175001.02
Packaging unit	1 in single unit box (20 in multipack)
Knife size (L x W x H)	109.5 x 13.5 x 34 mm
Main material	Glass fibre reinforced plastic
Weight	31.0 g
Cutting depth	10 mm
Spare blade Packaging unit Size (L x W x Thickness)	NO. 45.60 (10 in transparent pack) 39 x 18.4 x 0.30 mm
Certified	GS certificate NO. S 60087371
Accessories	
BELT HOLSTER M WITH CLIP	 NO. 9921
USED BLADE CONTAINER	 NO. 9810
WALL MOUNT BRACKET USED BLADE CONTAINER	 NO. 9845
SAFEBOX	 NO. 108000

CONTACT AND SERVICE

What makes our cutting solutions even safer? Our advisory services! We are always on hand, to give advice, to provide you with training material, to meet with you in person if necessary.

You will find further information on our website: www.martor.com



At a glance: the safety poster shows the most important functions and correct usage – perfect for your workplace.



From the first cut to changing the blade, our video will show you the best way to use this knife.



Everything you want to know: dimensions, properties, special features and more about our cutting tools can be found in the Technical Data Sheet.



Still have questions? You can reach our service department on [+49 212 25805-0](tel:+49212258050)