SECUPRO MERAK

THE PERFECT DEFINITION OF AN ALL-ROUNDER.





SECUPRO MERAK

NO. 124001





Ergonomic form

Whether with the right hand or the left hand: you will use the SECUPRO MERAK gladly and effectively. The cutter is shaped with ergonomics in mind, and the force required to activate and release the lever is appropriately minimal, even at high cutting frequencies.



4-times usable blade

One blade, four sharp edges. You clearly get more out of your blade; four times more in fact. Rotating the blade allows you to cut with a constant cutting force, all the way through your work day.



Safe blade change

You can change your blade without any additional tools, and without dismantling the SECUPRO MERAK. You have nothing to lose: an integrated magnet prevents the blade from falling out.



Light and stable

A particularly abrasion resistant plastic has been used for the SECUPRO MERAK. Nevertheless, it has a comfortable weight. Your cutting arm is protected from fatigue, and your cutter from wear and tear.




Press for safety


You can prevent unintentional blade activity by activating the small blue blade lock. Simply press against the pictured lock to protect yourself from injury whenever your cutter is stationary.


Safety, comfort? Everything under (lockable) control!

The SECUPRO MERAK is our practical, lockable cutter with fully automatic blade retraction. With SECUPRO MARTEGO's "little brother" we have thought about one thing in particular: you. The lightweight and user friendly SECUPRO MERAK lets you work safely, with little risk of cutting exhaustion. And there's much more: thanks to a shallow cutting depth, your goods are also well protected. No matter what material you cut.


Application







Safety technology



Fully automatic blade retraction – a very high degree of safety The fully automatic blade retraction of the SECUPRO MERAK guarantees a very high degree of safety from cut injuries. The blade withdraws into the handle immediately after leaving the material being cut. Even when the lever is still being squeezed.

PRODUCT FEATURES

Technical features



Very high safety



Safer blade change (with magnet)



Tool-less blade change



Abrasion resistant



Very ergonomic



Safety lock



4-times usable blade



Extended blade length



Cutting depth



For right and left hander



Lanyard hole



Printable for promotional purposes

Main cutting materials



Cardboard: up to 2-ply



Plastic strapping band



Tape



Layers of foil or paper



Wrapping, stretch, and shrink foil



Yarn, cord

Installed blade



NO. 92

0.40 mm, deep-edged

Optional blade



NO. 192

0.40 mm, stainless, deep-edged

Certificates and awards



YOU CAN FEEL THE QUALITY.

SECUPRO MERAK

- > Ergonomic squeeze grip
- > Light and handy
- > For frequent cutting
- > Fully automatic blade retraction
- > TÜV-certified

PRODUCT DETAILS

TROBUCT DETAILES		
Order No.	NO. 124001.02	
Packaging unit	1 in single unit box (10 in multipack)	
Knife size (L x W x H)	128 x 18 x 50 mm	
Main material	Glass fibre reinforced plastic	
Weight	59.0 g	
Cutting depth	9 mm	
Spare blade Packaging unit Size (L x W x Thickness)	NO. 92.66 (10 in safety dispenser) 26 x 18.5 x 0.40 mm	
Certified	GS certificate NO. S 60112078	
Accessories		
BELT HOLSTER M WITH CLIP		NO. 9921
USED BLADE CONTAINER		NO. 9810
WALL MOUNT BRACKET USED BLADE CONTAINER		NO. 9845
SAFEBOX		NO. 108000

CONTACT AND SERVICE

What makes our cutting solutions even safer? Our advisory services! We are always on hand, to give advice, to provide you with training material, to meet with you in person if necessary.

You will find further information on our website: www.martor.com



At a glance: the safety poster shows the most important functions and correct usage – perfect for your workplace.



From the first cut to changing the blade, our video will show you the best way to use this knife.



Everything you want to know: dimensions, properties, special features and more about our cutting tools can be found in the Technical Data Sheet.



Still have questions? You can reach our service department on +49 212 25805-0